according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



 Article No.:
 UB7-800
 Aqua-undercoating

 Print date:
 11.09.2018
 Revision date: 11.09.2018
 EN

 Version:
 3.6
 Issue date: 11.09.2018
 Page 1/8

Aqua-undercoating

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. product identifiers

Article No. (manufacturer/supplier): UB7-800

Identification of the substance or mixture Aqua-undercoating

light grey

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

see as in techn. data sheet

3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

griwecolor

Farben und Beschichtungen GmbH Telephone: +49(0)7707 9904-0 Wieselbrunnen 2 Telefax: +49(0)7707 9904-50

D-78199 Bräunlingen-Döggingen

Dept. responsible for information: Herr Grieshaber

E-mail (competent person) info@griwecolor.de

1.4. Emergency telephone number

Emergency telephone number +49 (0)7707 99040

Only available during office hours. 8.00 - 12.00 / 13.00 - 16.30

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

Hazard statements

not applicable

Precautionary statements

not applicable

contains:

not applicable

Supplemental Hazard information (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

none

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description: waterbased Dispersion

Hazardous ingredients:

griwecolor Farben und Beschichtungen GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 FAX +49 (0)7707 / 9904-50 info@griwecolor.de www.griwecolor.de

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



Article No.: UB7-800 Aqua-undercoating
Print date: 11.09.2018 Revision date: 11.09.2018
Version: 3.6 Issue date: 11.09.2018

Aqua-undercoating

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No. REACH No.
CAS No. Chemical name
INDEX No. classification: // Remark

Wt %

Page 2 / 8

not applicable

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

The product itself does not burn.

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



EN Page 3 / 8

Article No.: UB7-800 Aqua-undercoating
Print date: 11.09.2018 Revision date: 11.09.2018
Version: 3.6 Issue date: 11.09.2018

Aqua-undercoating

for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Not applicable.

Further information on storage conditions

Take care of instructions on label. Store carefully closed containers upright to prevent any leaks. Store in a well-ventilated and dry room at temperatures between 5 °C and 25 °C. Protect from heat and direct sunlight.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: PVC (polyvinyl chloride)

Thickness of the glove material > 0,4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes. Recommended eye protection articles: Wear eye glasses with side protection according to EN 166.

Protective clothing

Wear dust-resistant protective clothing.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



XXX

Page 4 / 8

Article No.: UB7-800 Aqua-undercoating
Print date: 11.09.2018 Revision date: 11.09.2018
Version: 3.6 Issue date: 11.09.2018

Aqua-undercoating

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state:
Colour:
Colour:
Cdour:
Cdour:
Cdour:
Cdour threshold:
Cdou

Initial boiling point and boiling range: 100 °C

Flash point:

Evaporation rate:

Source: Wasser

Not applicable.

not applicable

Flammability (solid, gas):

Burning time (s): not applicable

Upper/lower flammability or explosive limits:

Lower explosion limit: 0,8 Vol-%
Upper explosion limit: not applicable
Vapour pressure at 20 °C: not applicable
Vapour density: not applicable

Relative density:

Density at 20 °C: 1,30 g/cm³

Solubility(ies):

Water solubility (g/L) at 20 °C: miscible
Partition coefficient: n-octanol/water: see section 12
Auto-ignition temperature: not applicable
Decomposition temperature: not applicable
Viscosity at °C: thixotrop
Explosive properties: not applicable

Oxidising properties: not applicable

Other information solvent content:

Organic solvents: 2 Wt %

SECTION 10: Stability and reactivity

10.1. Reactivity

9.2.

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

griwecolor Farben und Beschichtungen GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 FAX +49 (0)7707 / 9904-50 info@griwecolor.de www.griwecolor.de

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830



Aqua-undercoating Article No.: **UB7-800** Revision date: 11.09.2018 Issue date: 11.09.2018 Print date: 11.09.2018 Page 5 / 8 Version:

Aqua-undercoating

none

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself.

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself .

Do not allow to enter into surface water or drains.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



EN Page 6 / 8

Article No.: UB7-800 Aqua-undercoating
Print date: 11.09.2018 Revision date: 11.09.2018
Version: 3.6 Issue date: 11.09.2018

Aqua-undercoating

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080111 Waste paint and varnish containing organic solvents or other dangerous substances

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

Land transport (ADR/RID) not applicable
Marine pollutant not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

tunnel restriction code -

Sea transport (IMDG)

EmS-No. not applicable

Air transport (ICAO-TI / IATA-DGR)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation

griwecolor Farben und Beschichtungen GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 FAX +49 (0)7707 / 9904-50 info@griwecolor.de www.griwecolor.de

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2015/830



ΕN Page 7 / 8

UB7-800 Aqua-undercoating Article No.: Revision date: 11.09.2018 Issue date: 11.09.2018 Print date: 11.09.2018 Version:

Aqua-undercoating

Directive 2010/75/EU on industrial emissions

VOC-value (in g/L): 7,5

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

Full text of classification in section 3:

Abbreviations and acronyms

Accord européen relatif au transport international des marchandises dangereuses par route (European ADR

Agreement concerning the International Carriage of Dangerous Goods by Road)

AGW (WEL) Occupational Exposure Limit Value

Biological Limit Value **BGW** CAS Chemicals Abstract Service

CLP Classification, Labelling and Packaging CMR Carcinogenic, Mutagenic and Reprotoxic

DIN German Institute for Standardization / German industrial standard

DNEL Derived No-Effect Level

EAKV European Waste Catalogue Directive

EC **Effective Concentration**

FC Europäische Gemeinschaft/en (European Community/ies)

EmS-No. Emergency Response Procedures for Ships Carrying Dangerous Goods

ΕN Europäische Norm (European Standard)

ΕU **European Union**

EEC European Economic Community

IATA-DGR International Air Transport Association – Dangerous Goods Regulations

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk **IBC Code** ICAO-TI International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous

Goods by Air

IMDG Code International Maritime Code for Dangerous Goods ISO International Organization for Standardization

LC **Lethal Concentration**

LD Lethal Dose

Maximum wokplace concentration

MARPOL Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD Organisation for Economic Cooperation and Development

PBT persistent, bioaccumulative, toxic Predicted No Effect Concentration **PNEC**

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Règlement concernant le transport international ferroviaire de marchandises Dangereuses

(Regulations concerning the International Carriage of Dangerous Goods by Rail)

UN **United Nations**

VOC Volatile Organic Compounds

vPvB very persistent and very bioaccumulative

Data sources:

Data arise from reference works and literature.

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Classification procedure:

Physical hazards

On basis of test data.

griwecolor Farben und Beschichtungen GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 FAX +49 (0)7707 / 9904-50 info@griwecolor.de www.griwecolor.de

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



EN Page 8 / 8

Article No.: UB7-800 Aqua-undercoating
Print date: 11.09.2018 Revision date: 11.09.2018
Version: 3.6 Issue date: 11.09.2018

Aqua-undercoating

health hazards, Environmental hazards: Calculation method.

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version