

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

#### Trade name/designation

SK1-370                                  Organic interior silicate  
white

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

see as in techn. data sheet

### 1.3 Details of the supplier of the safety data sheet

#### Supplier

griwecolor GmbH  
Im Wieselbrunnen 2                                  Telephone: +49 7707 9904-0  
78199 Bräunlingen                                  E-mail: info@griwecolor.de  
Germany

#### Department responsible for information

E-mail (competent person)                                  info@griwecolor.de

### 1.4 Emergency telephone number

Emergency telephone number: +49 7707 99040  
Only available during office hours.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms

not applicable

#### Signal word

not applicable

#### Hazard statements

not applicable

#### Precautionary statements

not applicable

#### Hazard components for labelling

not applicable

#### Supplemental hazard information

EUH210                                  Safety data sheet available on request.  
EUH211                                  Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients.

### 3.2 Mixtures

#### Description

waterbased Dispersion

#### Hazardous ingredients

| CAS No.<br>EC No. | Substance name<br>REACH No. | weight-% |
|-------------------|-----------------------------|----------|
|-------------------|-----------------------------|----------|

| Index No.                   | Classification according to Regulation (EC) No 1272/2008 [CLP]                                                                                                                                                                                         |             |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| 1312-76-1<br>215-199-1<br>- | <b>Silicic acid, potassium salt</b><br>01-2119456888-17-0002<br>Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / STOT SE 3 H335<br>Specific concentration limit (SCL)<br>Eye Irrit. 2 H319: >= 40,00 / Skin Irrit. 2 H315: >= 40,00 / STOT SE 3 H335: >= 75,00 | 1,00 < 2,00 |

**Remark**

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

**Following skin contact**

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

**After eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

**Self-protection of the first aider**

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms**

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

The product itself does not burn.

**Suitable extinguishing media**

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Powder, spray mist, (water)

**Unsuitable extinguishing media**

Strong water jet

### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Hazardous decomposition byproducts may form with exposure to high temperatures: Carbon dioxide (CO<sub>2</sub>), carbon monoxide, smoke, Nitrogen oxides (NO<sub>x</sub>).

### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Observe protective provisions (see section 7 and 8).

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

**For containment**

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

**For cleaning up**

Clean using cleansing agents. Do not use solvents.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

**Advices on safe handling**

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

**Advices on general occupational hygiene**

When using do not eat, drink or smoke.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

**Storage class** LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

**Further information on storage conditions**

Protect from heat and direct sunlight. Protect from frost. Take care of instructions on label.

**7.3 Specific end use(s)**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational exposure limit values**

| CAS No.    | Substance name                                                                                   | Source | Long-term /short-term (Spitzenbegrenzung)              |
|------------|--------------------------------------------------------------------------------------------------|--------|--------------------------------------------------------|
| 1317-65-3  | Limestone                                                                                        | WEL    | 10 / - ( - ) mg/m <sup>3</sup><br>(inhalable fraction) |
| 1317-65-3  | Limestone                                                                                        | WEL    | 4 / - ( - ) mg/m <sup>3</sup><br>(respirable fraction) |
| 1317-65-3  | natural calcium carbonate                                                                        | WEL    | 10 / - ( - ) mg/m <sup>3</sup><br>(inhalable fraction) |
| 1317-65-3  | natural calcium carbonate                                                                        | WEL    | 4 / - ( - ) mg/m <sup>3</sup><br>(respirable fraction) |
| 13463-67-7 | titanium dioxide [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm] | WEL    | 4 / - ( - ) mg/m <sup>3</sup><br>(respirable fraction) |
| 13463-67-7 | titanium dioxide [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm] | WEL    | 10 / - ( - ) mg/m <sup>3</sup><br>(inhalable fraction) |

**Additional information**

Long-term: Long-term occupational exposure limit value

short-term: short-term occupational exposure limit value

**Biological limit values**

No data available

**DNEL worker**

| CAS No.   | Substance name               | DNEL type                            | DNEL value             |
|-----------|------------------------------|--------------------------------------|------------------------|
| 1312-76-1 | Silicic acid, potassium salt | DNEL long-term dermal (systemic)     | 1.49 mg/kg             |
| 1312-76-1 | Silicic acid, potassium salt | DNEL long-term inhalative (systemic) | 5.61 mg/m <sup>3</sup> |

**DNEL Consumer**

| CAS No.   | Substance name               | DNEL type                            | DNEL value             |
|-----------|------------------------------|--------------------------------------|------------------------|
| 1312-76-1 | Silicic acid, potassium salt | DNEL long-term inhalative (systemic) | 1.38 mg/m <sup>3</sup> |
| 1312-76-1 | Silicic acid, potassium salt | DNEL long-term dermal (systemic)     | 0.74 mg/kg             |
| 1312-76-1 | Silicic acid, potassium salt | DNEL long-term oral (repeated)       | 0.74 mg/kg             |

**PNEC**

| CAS No.   | Substance name               | PNEC type                | PNEC Value |
|-----------|------------------------------|--------------------------|------------|
| 1312-76-1 | Silicic acid, potassium salt | PNEC aquatic, freshwater | 7.5 mg/L   |

**8.2 Exposure controls**

Provide good ventilation. This can be achieved with local or room suction.

**Personal protection equipment**

**Respiratory protection**

not applicable

**Hand protection**

Suitable material: NBR (Nitrile rubber)  
Thickness of the glove material  $\geq$  0.4 mm  
Breakthrough time  $\geq$  480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

**Skin protection**

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

**Eye/face protection**

Eye glasses with side protection: EN 166

**Body protection**

Wear suitable protective clothing.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

|                                         |                     |
|-----------------------------------------|---------------------|
| Physical state                          | Liquid              |
| Colour                                  | refer to label      |
| Odour                                   | characteristic      |
| pH at 20 °C (100%)                      | 10.5 - 10.9         |
| Melting point/freezing point            | not determined      |
| Initial boiling point and boiling range | > 35 °C             |
| Flash point                             | not applicable      |
| flammability                            | not applicable      |
| Lower explosion limit at 20°C           | not determined      |
| Upper explosion limit at 20°C           | not determined      |
| Vapour pressure at 20°C                 | not determined      |
| Relative vapour density                 | not applicable      |
| Density at 20 °C                        | 1.53 kg/l           |
| Water solubility at 20°C                | completely miscible |
| Partition coefficient: n-octanol/water  | see section 12      |

|                               |                    |
|-------------------------------|--------------------|
| Ignition temperature in °C    | not determined     |
| Decomposition temperature     | not determined     |
| Kinematic viscosity at 20 °C: | thixotropic        |
| Dynamic viscosity:            | 60-70dPas/Sp1/20°C |
| particle characteristics      | not applicable     |

## 9.2 Other information

not applicable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

### 10.3 Possibility of hazardous reactions

Not applicable

### 10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

### 10.5 Incompatible materials

No further relevant information available.

### 10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### \* Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## SECTION 12: Ecological information

## 12.1 Toxicity

Based on available data, the classification criteria are not met.

### **Algae toxicity**

#### **Silicic acid, potassium salt**

ErC50: (*Leuciscus idus* (golden orfe)): > 146 mg/L

### **Daphnia toxicity**

EC50 > 146 mg/L (48 h)

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### **Product/Packaging disposal**

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### **Waste codes/waste designations according to EWC/AVV**

080112 - waste paint and varnish other than those mentioned in 08 01 11

#### **Other disposal recommendations**

Non-contaminated packages may be recycled. Following consultation with waste management company and after solidification, landfill together with household waste.

## SECTION 14: Transport information

### 14.1 UN number or ID number

not applicable

### 14.2 UN proper shipping name

#### **Land transport (ADR/RID)**

No dangerous good in sense of these transport regulations.

#### **Sea transport (IMDG)**

No dangerous good in sense of these transport regulations.

#### **Air transport (ICAO-TI / IATA-DGR)**

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

not applicable

### 14.4 Packing group

not applicable

### 14.5 Environmental hazards

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

#### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

#### 14.8 Additional information

##### Land transport (ADR/RID)

not applicable

##### Sea transport (IMDG)

not applicable

##### Air transport (ICAO-TI / IATA-DGR)

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

##### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

\* VOC value: 2 g/l

##### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC limit value: 2004/42/IIA(a): 30 g/l (2010)

\* Maximum VOC content of the product in a ready to use condition: 2 g/L

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

##### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

##### Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

#### National regulations

Observe in addition any national regulations!

## SECTION 16: Other information

#### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

|      |                                   |
|------|-----------------------------------|
| H315 | Causes skin irritation.           |
| H319 | Causes serious eye irritation.    |
| H335 | May cause respiratory irritation. |

#### Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

#### Key literature references and sources for data

Data arise from reference works and literature.

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

EU/EEA: European Community

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**



SK1-370  
Version 2.1

Organic interior silicate  
Revision date 06-Nov-2024

Print date 06-Nov-2024

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG Code: International Maritime Code for Dangerous Goods  
ISO: International Organization for Standardization  
LC: Lethal Concentration  
LD: Lethal Dose  
:  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OECD: Organisation for Economic Cooperation and Development  
PBT: persistent, bioaccumulative, toxic  
PNEC: Predicted No Effect Concentration  
REACH: Registration, Evaluation and Authorization of Chemicals  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail  
UN: United Nations  
VOC: Volatile Organic Compounds  
vPvB: very persistent and very bioaccumulative

**Indication of changes**

\* Data changed compared with the previous version.

**Additional information**

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.